

SHAH01614509 **Test Report** Number:

Date:

Oct 20, 2023

Applicant: Guangzhou Great Healthcare co., Ltd

206, Building 3, No. 6, Jiapin Third Street, Shatou street, Panyu District,

Guangzhou

Sample Description:

One group of submitted sample said to be:

HERBAL ARMPIT DEODORANT CREAM Item Name

Batch No. HD2309 MFG SEP-2023

Manufacturer Guangzhou Great Healthcare co.,Ltd

**Entrusted Test** Test Type

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

To be continued

Authorized By:

For Intertek Testing Services Ltd., Shanghai

Shiny Ning Manager



Page 1 of 6





Test Report Number: SHAH01614509

**Tests Conducted** 

1.	Test	samp	le inf	form	ation
----	------	------	--------	------	-------

Name of Sample:	HERBAL ARMPIT DEODORANT CREAM	Lot number:	BATCH NO:HD2309 MFG:SEP-2023
Chemical Name:	1	Physical state:	Liquid
CAS number:	1	Color:	Brown
INCI name:	1	Purity:	1
Product name:	1	Storage conditions:	Room temperature
Relative molecular weight:	1	Stability:	/
Molecular formula:	1	Production Date:	/
Manufacturer:	1	Validity period:	/
Manufacturer	/		

Note: "/" means this item is not applicable.

1.1 Test sample: Cut the filter paper into a size of 1.5cm\*1.5cm, moisten the filter paper with the sample and place it on the surface of the agar layer for exposure.

# 2. Control group information:

2.1 Positive control: ZDEC Polyurethane film (Cut to 1.5cm\*1.5cm size)

Chemical Name:	cal Name: /		
CAS No.:	1		
INCI name:	1		
Physical state:	Film		
Purity:	1		
Lot number:	A-223K		
Relative molecular weight:	1		
Molecular formula:	1		
Manufacturer:	Hatano Research Institute		
Valid period:	30 <sup>th</sup> December, 2023		

Note: "/" means this item is not applicable.

Intertek Testing Services Ltd.,







Test Report Number: SHAH01614509

**Tests Conducted** 

2.2 Negative control: High Density Polyethylene Film (Cut to 1.5cm\*1.5cm size)

Chemical Name: /

CAS No.:

INCI name:

Physical state: Film

Purity: /

Lot number: C-221

Relative molecular weight:

Molecular formula: /

Manufacturer: Hatano Research Institute

Valid period: 10<sup>th</sup> November, 2023

Note: "/" means this item is not applicable

# 3. Test acceptance criteria:

- 3.1 There was no significant difference in the detection results of each parallel culture dish.
- 3.2 The negative control group exhibited the expected negative results.
- 3.3 The positive control group exhibited the expected positive results.

## 4. Material:

- 4.1 Cell lines: L-929 cell (NCTC clone 929). Source: Kunming Cell Bank. Generation:29
- 4.2 Culture medium: DMEM with 10% fetal bovine serum (FBS, from Gibco, Lot: 2500251P).
- 4.3 Test condition: Incubate at 37±1 °C and >90% humidity in air with 5% CO₂ (volume fraction).
- 4.4 Agarose: The agarose was prepared into a 3.2% agarose stock solution with ultrapure water, and autoclaved at 121 ℃ for 20 min for use.
- 4.5 Neutral red dye: Neutral red was prepared with DMEM medium to a concentration of 0.01%, sterilized by filtration with a 0.22 µm syringe filter, and prepared for immediate use.

### 5. Test procedure:

- 5.1 Steps
- 5.1.1 Routinely culture L929 cells in a 22 cm<sup>2</sup> sterile petri dish. When the cells are 80% confluent and close to forming a monolayer, replace them with agar/medium containing a final concentration of 1.5% (agar:medium = 1:1) to distribute Homogeneous and solidifies at room temperature.
- 5.1.2 Add neutral red dye solution with a final concentration of 0.01% to stain the cells, and discard the dye solution after 30 min.
- 5.1.3 Gently place the test substance on the surface of the solidified agar, and the test substance occupies about 1/10 of the area of the cell layer. The absorbent material needs to be pre-wetted with the medium to prevent dehydration of the agar, while preparing positive and negative controls.









SHAH01614509 **Test Report** Number:

**Tests Conducted** 

5.1.4 Return to the incubator for a further 24 hours.

### 5.2 Judgment criteria:

Observations were made before and after removal of the samples, and cell morphological changes were observed and recorded under an inverted microscope. Abnormal cell morphology included general morphological changes, vacuolation, detachment, lysis, and loss of membrane integrity. According to Table 1, qualitative observation and classification of cell morphology were carried out. According to Table 2, the results of the reaction area were judged.

Table 1. Qualitative morphological grading of cytotoxicity of extracts

Not more than 20 % of the cells are round, loosely attached at without intracytoplasmatic granules, or show changes in more occasional lysed cells are present; only slight growth inhibition observable.  Not more than 50 % of the cells are round, devoid of intracyto granules, no extensive cell lysis; mot more than 50 % growth in observable.  Not more than 70 % of the cell layers contain rounded cells or	Grade	Reactivity	Conditions of all cultures
without intracytoplasmatic granules, or show changes in mor occasional lysed cells are present; only slight growth inhibition observable.  Not more than 50 % of the cells are round, devoid of intracyto granules, no extensive cell lysis; mot more than 50 % growth in observable.  Not more than 70 % of the cell layers contain rounded cells or lysed; cell layers not completly destroyed, but more than 50% inhibition observable.	0	None	Discrete intracytoplasmatic granules, no cell lysis, no reduction of cell growth.
2 Mild granules, no extensive cell lysis; mot more than 50 % growth is observable.  Not more than 70 % of the cell layers contain rounded cells or lysed; cell layers not completly destroyed, but more than 50% inhibition observable.	1	Slight	Not more than 20 % of the cells are round, loosely attached and without intracytoplasmatic granules, or show changes in morphology; occasional lysed cells are present; only slight growth inhibition observable.
3 Moderate lysed; cell layers not completly destroyed,but more than 50% inhibition observable.	2	Mild	Not more than 50 % of the cells are round, devoid of intracytoplasmatic granules, no extensive cell lysis; mot more than 50 % growth inhibition observable.
4 Severe Nearly complete or complete destruction of the cell layers.	3	Moderate	Not more than 70 % of the cell layers contain rounded cells or are lysed; cell layers not completly destroyed, but more than 50% growth inhibition observable.
	4	Severe	Nearly complete or complete destruction of the cell layers.
Table 2. Reactivity grades for agar and filter diffusion test and direct contact to	T	able 2. Read	ctivity grades for agar and filter diffusion test and direct contact test

Grade	Reactivity	Description of reactivity zone
0	None	No detectable zone around or under specimen
1	Slight	Some malformed or degenerated cells under specimen
2	Mild	Zone limited to area under specimen
3	Moderate	Zone extending specimen size up to 1,0 cm
4	Severe	Zone extending farther than 1,0 cm beyond specimen

The basis of this judgment is added according to the ISO 10993-5 (2009): Biological evaluation of medical devices-Part5: Tests for in vitro cytotoxicity. If the score according to Table 1 and Table 2 is > 2, it is considered to have cytotoxic effect.



Tel: +86 21 53396000



Test Report Number: SHAH01614509

Tests Conducted

#### 6. Results:

In this experiment, the evaluation results of cell morphology and fading under the action of the samples are shown in Table 3.

Table 3. In vitro cytotoxicity assay results

Group	Cytotoxic Morphological Grading	Response range classification	Cellular Response Grading (Morphological Analysis/Fading Reaction)
	2	1	2/1
Testing Sample	2	1	2/1
·	2	1	2/1
	0	0	0/0
Negative Control	0	0	0/0
	0	0	0/0
	4	3	4/3
Positive Control	4	3	4/3
	4	3	4/3

#### 7. Conclusion:

According to the ISO 10993-5 (2009): Biological evaluation of medical devices-Part5: Tests for in vitro cytotoxicity, under the conditions of this test, for this batch of test article "HERBAL ARMPIT DEODORANT CREAM" provided by the sponsor scored 2/1 and has no cytotoxicity.

Test Item is subcontracted on INTERTEK accreditation laboratory

Date Sample Received: Sep 26, 2023

Testing Period: Sep 26, 2023 To Oct 13, 2023

To be continued





**Test Report** SHAH01614509 Number:

**Tests Conducted** 



End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shanghai Ltd.

